

## **XRAY T4'16**

FRONT

CASTER

0°

2°

4°

6°

SHIM

2

/mm

WHEELBASE

/mm

256

5.0

RIDE HEIGHT

/mm

5.2

RIDE HEIGHT

/mm

REAR

C-HUB

M

H

G

ALU

STEERING BLOCK

M

H

ALU

OFFSET

STANDARD

SHIM

2

/mm

DRIVE SHAFT

LONG 52mm

SHORT 50mm

ECS

CVD

SHIM

1

/mm

SHIM

1

/mm

DRIVE SHAFT

ECS

CVD

SHIM

4

/mm

REAR HUB

M

H

ALU

OPTIONAL HUB

OFFSET

STANDARD

5.2

DOWNSTOP

/mm

4.2

DOWNSTOP

/mm

FRONT

REAR

ARS

ACTIVE REAR SUSPENSION™

C-HUB

M

H

G

ALU

SHIM

/mm

SHIM

/mm

STEERING BLOCK

M

H

ALU

OFFSET

STANDARD

ARS™ HOLDER

1

2

SHIM

/mm

SHIM

/mm

FRONT

REAR

TOE OUT

1

/mm

SHIMS UNDER SHOCK

1

/mm

SHIMS UNDER SHOCK

4

/mm

ACKERMANN SHIM

0

/mm

STEERING ARM

STANDARD

ALU

STEERING SYSTEM

STANDARD

FLOATING

STEERING PLATE

YES

NO

STEERING POST

YES

NO

TOE /deg

FINAL TOE IN

OUTBOARD TOE

2.7

MOTOR MOUNT

STANDARD

OPTION

ANTI ROLL-BAR

1

2

3

SHIMS UNDER SHOCK

1

/mm

SHIMS UNDER SHOCK

2

/mm

MOTOR MOUNT FLEX

1

2

3

ALU STAND

NUT

FRONT

REAR

2

CAMBER /deg

2

FRONT ARM

STANDARD (H)

GRAPHITE (G)

GRAPHITE PLATE

YES

NO

UPPER SHOCK POSITION

1

2

3

4

REAR ARM

STANDARD (H)

GRAPHITE (G)

GRAPHITE PLATE

YES

NO

FRONT

REAR

DIFF. POSITION

UP

DOWN

LOWER SUSP. BLOCK

SOLID 1pcs

SINGLE 2pcs

BALANCE

10

/g

TOP DECK

2.0mm

1.6mm

SERVO HORN

SERVO SAVER

ALU

BALANCE

30

/g

ALU STAND

FLEX

DIFF. POSITION

UP

DOWN

LOWER SUSP. BLOCK

SOLID 1pcs

SINGLE 2pcs

BALANCE

/g

BALANCE

/g


FRONT

REAR















Source:





***www.PetitRC.com***