

SET-UP SHEET

XRAY X1'16

RACE	ETS Rd4
TRACK	Riccione

NAME	Jan Ratheisky
CITY / COUNTRY	Riccione, Italy
CONTACT	j.ratheisky@gmail.com

DATE	15/05/2016
------	------------

QUALIFYING POSITION	BEST LAP TIME /sec	FINAL POSITION	RACE LENGTH /min
1		1	5

TRACK			
TRACK SURFACE	☐ CARPET	☒ ASPHALT	
TRACK LAYOUT	☐ TECHNICAL	☒ MIXED	☐ FAST
TRACTION	☒ LOW	☐ MEDIUM	☐ HIGH

CENTER SHOCK ABSORBER			
SPRING	OIL /cSt	REBOUND %	
2.4	450	0	
PISTON		HOLES DIAMETER /φ	
☒ 2 HOLES	☒ 3 HOLES	☐ 1.1mm	☒ 1.2mm

SIDE TUBES	☒	OIL /cSt	20k
SIDE SHOCK	☐	OIL /cSt	

FRONT	TIRES	REAR
Ride	TIRES	Ride
Hudy	ADDITIVE	Hudy
20	ADDITIVE TIMING	20
FRONT LEFT	ADDITIVE TREATED AREA	REAR LEFT
FRONT RIGHT		REAR RIGHT

DIFF SETTING				
☒	☐	☐	☐	☐
LOOSE	MEDIUM			TIGHT

GEARING		
40	80	2
PINION /T	SPUR GEAR /T	FINAL DRIVE RATIO

ELECTRONICS	
MOTOR	Handout
SPEEDO	Handout
BATTERIES	LRP 4300 Stock spec

BODY

SERVO ARM FLOATING ☐ STANDARD ☒	SERVO LINK SHIM 0 /mm	SHIM nut /mm	SHOCK ABSORBER SHOCK LENGTH /mm SHOCK PRELOAD /mm	SHIM nut /mm
BUMP STEER SHIM 4 /mm	SERVO MOUNTING FLOATING ☐ STANDARD ☒			
4.0 FRONT RIDE HEIGHT /mm	MID RIDE HEIGHT /mm	4.0	REAR RIDE HEIGHT /mm	4.0

SHIM 1 /mm	UPPER ARM SHIM 0 /mm	RIDE HEIGHT	
SHIM 2.5 /mm			
SHIM 0.5 /mm	SPRING black	SIDE SPRING gold	WING SHIM 0 /mm

CASTER	CAMBER

TOE OUT 2 /mm	CHASSIS STANDARD ☐ ALLI ☐ 2MM ☒	BATTERY POSITION INLINE ☐ CROSS CHASSIS ☒	REAR WING POSITION
ARM BRACE YES ☐ NO ☒	ACKERMANN POSITION		
FRONT SPOILER LOW DOWNFORCE ☒ HIGH DOWNFORCE ☐	STEERING ANGLE 29 /°	FRONT WIDTH SHIM 0.5 /mm	REAR WIDTH SHIM 4 /mm
			REAR WING STANDARD ☐ Montech

COMMENTS



Source:



www.PetitRC.com